




⌘ BESTKO[®]

D.S.P.

(瑞高网上信息分享平台)



宗旨：

由即日起，阁下可以透过计算机、平板电脑或智能手机，下载瑞高标准产品相关数据。我们希望藉着「瑞高网上信息分享平台」的便利，将环保讯息带给社会，以推广节约用纸的文化。请登入 www.bestko.com 查看本司产品数据，平台配备桌面版及手机版供选择。无论身处何时何地，亦可实时了解本司最新动态。

以下数据均已在平台上分享：

- Ø 产品说明
- Ø 玻璃开孔图
- Ø 安装说明
- Ø 测试报告(只供查阅)
- Ø 影片分享(只供查阅)
- Ø 焦点项目回顾(只支援桌面版)

目录：

桌面版(参考示范一及示范三)

手机版(参考示范二)

示范一

下载产品说明(桌面版)

1. 选择需要的产品。
2. 按下底部的选择栏。
3. 选择「产品说明」及按「下载」按钮。

阁下亦可转换使用语言，以获取单语(英文)或双语(中文及英文)信息。(双语版数据仅于简体版提供)

The screenshot shows the BESTKO website interface. At the top, there is a navigation bar with search and language options. Below it is the BESTKO logo and a menu with categories like '关于瑞高', '产品系列', '工程项目', etc. The main content area features a product image of the TJ021-180 glass clamp on the left and a detailed technical specification table on the right. The table lists key features such as '主要特点', '定位', '表面处理', '材质', '适用范围', '适用门厚', '最大承重', '适用门宽', '适用门高', '通过测试', and '备注'. Below the table is a technical drawing showing dimensions: 22mm for the clamp height, 55mm for the mounting hole width, and 90mm for the clamp depth. At the bottom of the page, there is a download menu with options like '产品说明', '安装说明', '调整指引', and '辅助垫片使用指引'. A '下载' (Download) button is visible at the bottom right of the menu.

主要特点	门扇与闭门线成85°时带动自动闭门功能
定位	90°
表面处理	全光
材质	304 不锈钢
适用范围	钢化玻璃
适用门厚	8-12mm
最大承重	45kg (每对)
适用门宽	≤800mm
适用门高	≤2400mm
通过测试	EN1154 (130,000 次)
备注	带缓冲功能

22 55 55 90

--- 请选择 ---
产品说明
玻璃开孔图 - TJ14
安装说明 - 太极芯淋浴房玻璃夹
调整指引 - 太极芯淋浴房玻璃夹
辅助垫片使用指引
EN1670 - 玻璃夹盐雾测试 (太极芯淋浴房玻璃夹) - HT209490
EN1154 - TJ012-90° 太极芯淋浴房玻璃夹功能测试 - HT207784
--- 请选择 ---

下载

示范二

下载产品说明(手机版)

1. 输入产品型号，或使用「产品导航」以选择需要的产品。

2. 选择「产品说明」及按「下载」按钮。

阁下亦可转换使用语言，以获取单语(英文)或双语(中文及英文)信息。(双语版数据仅于简体版提供)



The screenshot shows the BESTKO website interface. At the top, there is a logo and navigation links for '桌面版 EN 繁 简'. Below the logo is a search bar labeled '依型号搜索' with a search button. Underneath is a '产品导航' section with three dropdown menus for '位置', '种类', and '产品', each with a search button. At the bottom, there is a '焦点产品' section listing five products with their respective images and names: TJ103E-90 太极芯液动器, TJ101 太极芯液动器, TJ203 太极芯180°玻璃连接夹, 9600-04 豪華门锁-智动芯中华结, and TJ012B-90° 太极芯90°牆装玻璃夹.



The screenshot shows the search results page for 'TJ021-180° 太极芯180°玻璃连接夹'. The page features a search bar with 'tj021' entered and a search button. Below the search bar is a '搜寻结果' section with a list of links: '产品说明', '玻璃开孔图 - TJ14', '安装说明 - 太极芯淋浴房玻璃夹', '调速指引 - 太极芯淋浴房玻璃夹', '辅助垫片使用指引', 'EN1670 - 玻璃夹盐雾测试(太极芯淋浴房玻璃夹) - HT209490', and 'EN1154 - TJ012-90° 太极芯淋浴房玻璃夹功能测试 - HT207784'. At the bottom, there is another '依型号搜索' section with a search bar and a search button, and a '产品导航' section with three dropdown menus and a search button.

示范三

浏览及分享重点项目回顾(桌面版)

1. 以底部的筛选栏选择需要的项目。

2. 按右方「项目详情」以检阅或分享。

如欲分享筛选后的相关选择，可在筛选后按「群组详情」以检阅或分享。

The screenshot displays a web interface for project browsing. At the top left, the text '重点项目' (Key Projects) is visible. On the right side, there are two buttons: '项目详情' (Project Details) and '群组详情' (Group Details). The main content area features a large image of a tall, curved building labeled 'The Lily' below it. To the right of this main image is a grid of smaller thumbnail images of various buildings. At the bottom, there is a search and filter bar with the following elements: '简易搜索' (Simple Search), a dropdown menu for '中国 - 香港' (China - Hong Kong), a dropdown menu for '城市' (City), a dropdown menu for '种类' (Type), a dropdown menu for '年份' (Year), a dropdown menu for '升友·投资·管理' (Partner·Investment·Management), and a '清空已选' (Clear Selected) button. The footer contains the text '版权由瑞高精密有限公司拥有' (Copyright owned by Smart-Info Limited) on the left and 'WEB SOLUTION BY SMART-INFO LIMITED' on the right.

备注：

所有已发布的照片及商标，或已受到知识产权保护。
如有发现数据被不正确地使用，本司不排除作出追究行动。

本司保留因应需要，而对数据作出更改的权利，就相关更改亦不会予以通知。